

Index

!

! logical operator, 161, 215

%

% measurement unit, 81

% tags, 66

&

& logical operator, 214

&& logical operator, 214

.

.NET framework, 54, 125

classes. *See* classes

data types, alternate names, 154, 156, 158, *See also* data types

Math library, 170

namespaces. *See* namespaces

namespaces of, 186, *See also* namespaces

StringBuilder class, 186

summaries, explanation of, 224

/

/** */ comment indicators, 222

// comment indicator, 222

;

; line endings, 92

{

{ } markers, use of, 92

{0:X} data format string. *See* data format strings

|

|| logical operator, 214

<

< logical operator, 214

<= logical operator, 214

=

= assignment operator, 210

== equality operator, 210

>

> logical operator, 214

>= logical operator, 214

A

A HTML tag, 74

access rules

all rule, 265

anonymous users, denying access to with, 262

creating, 262

explanation of, 262

security wizard, adding with, 269

Web.config files, requirement of, 262

accuracy when using floating point values, 158

AddDays method, 162

adding files and folders to a solution, 37

addition, 156, 168, 190

AJAX, 106

AllowPaging property, 308

AllowSorting property, 308

alternate text, 127

AND logical operator, 214

anonymous users, denying access to, 262

Apache. *See* web server

App_Data folder, 276

application settings, 251

Application_AuthenticateRequest event handler, 326

Application_End event handler, 326

Application_Error event handler, 326

Application_Start event handler, 326

arguments

IntelliSense, viewing details of with, 225

methods, calling with, 193

methods, creating to require, 192

methods, overloading of, 193

sent by reference, 239

sent by value, 239

summaries, adding to, 225

arrays

Contains method, 233

creating, 232

dynamic, 232

explanation of, 232

multidimensional, 233

asax file, 326

ASP.NET

classes. *See* classes

CSS, automatic generation of, 77

earlier versions of, 66

HTML, automatic generation of, 51, **93**

JavaScript, automatic generation of, 83, 107

Page object. *See* Page object

postback, requirement of, 106

ASP.NET Configuration utility

- access rules, adding with, 262, 264
- application settings, changing using, 251
- authentication types, changing with, 252
- email settings, defining using, 251
- error page, setting with, 327
- explanation of, 250
- Forms authentication, switching to with, 252
- opening, 250
- roles, adding with, 264, *See also* roles
- security tab, 250
- security wizard, 268, *See also* security wizard
- Take Offline option, 251
- users, viewing using, 250
- Windows authentication, switching to with, 252

ASP.NET controls. *See* controls

ASP.NET Folders, 276

ASP.NET framework. *See* .NET framework

ASP.NET MVC project, 32

ASP.NET Web Application project. *See also* projects

- advantages of, 34
- creating, 32
- login system, automatically created, 248
- master page, automatically created, 324
- publishing. *See* publishing

ASP.NET Web Site project, 34, *See also* projects

ASPNETDB.MDF database file, 268

aspx pages, 31, **36**, *See also* pages

assignment operator, 210

authentication

- anonymous users, 262
- Application_AuthenticateRequest event handler, 326
- ASPNETDB.MDF file, requirement of, 268
- C#, logging in using, 254
- CreateUserWizard control, 258
- default login page, 261
- explanation of, 248
- folders, securing, 262
- Forms mode, 252
- Login control, 254

- login system, 248
- Page.User.Identity.IsAuthenticated property, 266
- Page.User.Identity.Name property, 266
- Page.User.IsInRole method, 267
- pages, automatically created, 248
- pages, securing, 263
- providers, 250, *See also* providers
- ReturnUrl query string value, 255
- System.Web.Security.Membership.CreateUser method, users, creating with, 259
- System.Web.Security.Membership.ValidateUser method, 254
- user friendliness of, 267
- users, creating, 249, *See also* users
- users, viewing, 250, *See also* users
- Web.config, changing settings in, 251
- Windows mode, 252

Auto Hide, 50

automatic documentation, 225

automatic formatting, 42

AutoPostBack property, 107, 131, 133, 135, 137

Average LINQ method, 284

B

BackColor property, 142

background-color CSS property, 77, 83

Basic Settings mode, 28

body HTML tag, 66

bold HTML tag, 62

bool data type, 93

- explanation of, 160
- if statements, use by, 211
- NOT operator, use with, 161
- variable, creating, 160

boolean. *See* bool data type

bracketing

- logical conditions, 216
- mathematical operations, 169

break HTML tag, 64

break keyword, 240

breakpoints

- adding and removing, 96, 102
- empty event handler, adding to, 104
- View in Browser, processing prevented by, 96

browser. *See* web browser

build errors. *See* errors

building. *See* compiling

BulletedList control, 136

Button control

- adding to a page, 50, 94

- Click event handler, 94, 126
 - event handlers, other, 126
 - formatting, 126
 - properties, 126
 - ButtonField
 - CommandName property, 331
 - explanation of, 331
 - ButtonField, explanation of, 311
 - by reference, 239
 - by value, 239
- C**
- C#
- access, restricting with, 266
 - classes. *See* classes
 - curly brackets, use of, 92
 - data types. *See* data types
 - data, binding with, 316
 - event handlers. *See* event handlers
 - HTML pages, placement on, 66
 - methods. *See* methods
 - pages, securing with, 263
 - postback, requirement of, 106
 - properties, changing with, 92
 - semicolons, use of, 92
 - server-side code, status as, 83, 106
 - users, creating with, 259
 - validation controls, confirming using, 139
 - variable types. *See* data types
 - Visual Basic, preference over, 33
 - Calendar control
 - adding to a page, 51, 95
 - formatting with Auto Format, 52
 - SelectedDate property, 95
 - SelectionChanged event handler, 95
 - calling methods. *See* methods
 - cast conversion method
 - explanation of, 167
 - object variables, converting using, 174
 - catch statement, 220
 - CausesValidation property, 142
 - Ceiling method, 170
 - cells. *See* tables
 - ChangePassword login control, 260
 - CheckBox control
 - AutoPostBack property, 133
 - Checked property, 132
 - CheckedChanged event handler, 132
 - HTML, conversion into, 132
 - Input (Checkbox) control, based on, 132
 - postback, disabled by default, 106
 - properties, 132
 - TextAlign property, 132
 - CheckBoxList control, 132, 136
 - Checked property, 132, 135
 - CheckedChanged event handler, 132, 135
 - checkout page, 338
 - Chrome. *See* web browser
 - classes
 - .NET framework, originating from, 186
 - constructors, adding to, 202
 - creating, 182
 - Dispose method, disposing of with, 200
 - events of, 182, *See also* event handlers
 - explanation of, 151, **182**
 - icon for, 151
 - instances, creating, 162, 182, **184**, 197
 - instances, disposing of, 200
 - methods of. *See* methods
 - methods, adding to, 183, 186, **190**
 - namespaces, placement in, 188
 - properties of, 182, *See also* properties
 - properties, adding to, 182
 - protection levels, 182
 - static, 198
 - using statement, disposing of with, 201
 - Click event handler, 94, 126
 - client-side code, 83, 106
 - Code Only mode, 28
 - code regions, 44
 - code-behind files, 36
 - Collapse to Definitions, 44
 - collections. *See also* arrays
 - Dictionary, 235
 - explanation of, 234
 - foreach iteration statement, iteration through
 - using, 236, *See also* foreach iteration statement
 - LINQ, use with, 294
 - List, 234, *See also* List collection
 - SortedList, 235
 - System.Collections.Generic namespace, 186
 - color CSS property, 77
 - Columns property, 130
 - command fields
 - Delete, 311
 - Edit, Update, Cancel, 310
 - New, Insert, Cancel, 313
 - Select, 311
 - comments
 - //, definition by, 222
 - best practice of use, 223

- explanation of, 222
- in-line, 223
- multiline, 222
- shortcut buttons for, 222
- single line, 222
- CompareValidator control, 141
- compile errors. *See* errors
- compiling, 34, 39, 345
- concatenation, 154
- conditions
 - database, 281, 282, 283, *See also* LINQ
 - logical. *See* if statements
- config file, 116
- connection string, 314
- constructor method
 - arguments, adding to, 203
 - creating, 202
 - explanation of, 202
 - instances, creating with, 203
- Contains method, 233, 235
- ContentPlaceHolder control, 324
- controls
 - adding to pages, 50
 - AutoPostBack property, 107, 131, 133, 135, 137
 - BulletedList, 136
 - Button, 50, 94, **126**, *See also* Button control
 - Calendar, 51, *See also* Calendar control
 - ChangePassword, 260
 - CheckBox, 106, 132
 - CheckBoxList, 132, 136
 - common properties, 142
 - CompareValidator, 141
 - ContentPlaceHolder, 324
 - CreateUserWizard, 258
 - CustomValidator, 141
 - data source, setting, 304, 305
 - database columns, naming to match, 290
 - DataList, 313
 - deleting, 73
 - DetailsView, 312, *See also* DetailsView data control
 - DropDownList, 53, 106, 136, *See also* DropDownList control
 - EnableViewState property, 109
 - event handlers, adding to, 94
 - form, requirement of, 67
 - FormView, 313
 - GridView, 306, *See also* GridView data control
 - HTML. *See* HTML
 - HTML, conversion into, 51, **93**
 - icons for, 151
 - ImageButton, 127
 - Input (Checkbox), 84
 - Input (Reset), 51
 - Input (Submit), 84
 - Input (Text), 84
 - Label, 92, 128, *See also* Label control
 - LinkButton, 126
 - LinqDataSource, 302, 304
 - list-based, 132, *See also* list-based controls
 - ListView, 313
 - Login, 254, *See also* Login control
 - LoginName, 260
 - LoginStatus, 261
 - naming convention, importance of, 124
 - properties, C#, changing with, 92
 - properties, Design view, changing in, 46
 - properties, Source view, changing in, 48
 - RadioButton, 134
 - RadioButtonList, 135, 136
 - RangeValidator, 140
 - RegularExpressionValidator, 141
 - Repeater, 313
 - RequiredFieldValidator, 138
 - selecting, 46
 - SqlDataSource, 314, *See also* SqlDataSource data control
 - System.Web namespace, presence in, 186
 - templates, customization with, 256
 - TextBox, 50, 130, *See also* TextBox control
 - ValidationSummary, 140
 - ViewState, maintenance of state by, 108
 - Web User Control, 324
- ControlState, 108
- ControlToValidate property, 138
- conversion methods
 - cast, 167
 - Convert, 164
 - Parse, 165
 - ToString, 166
- Convert conversion method, 164
- converting variables. *See* conversion methods
- Cos method, 170
- Count LINQ method, 284
- crash. *See* exceptions
- CreateUserWizard login control, 258
- credit card payments, 340
- cs file, 36
- csproj file, 33
- CSS
 - automatic generation of, 71
 - classes, **76**, 78

- classes, assigning to page elements, 76
 - CSSClass property, assigning to controls with, 143
 - explanation of, 40, 76
 - file, 69
 - identifiers, 77, 80
 - IntelliSense menu, use with, 150
 - link HTML tag, 68
 - pages, linking to, 68, 76
 - style property, placing in, 77
 - style tag, placing in, 71
 - versions, 79
 - CSS properties
 - background-color, 77, 80, 83
 - color, 77
 - display, 78
 - font-family, 78
 - font-size, 76, 78
 - height, 81
 - left, 78
 - margin, 78
 - padding, 78
 - position, 78
 - text-align, 78
 - top, 78
 - vertical-align, 78
 - width, 81
 - CSS Properties window, 78
 - CSSClass property, 143
 - curly brackets, use of, 92
 - customErrors setting, 116
 - CustomValidator control, 141
- D**
- data context. *See* LINQ classes, *See* LINQ
 - data controls
 - DataList, 313
 - DetailsView, 312, *See also* DetailsView data control
 - FormView, 313
 - GridView, 306, *See also* GridView data control
 - LinqDataSource, 302, 304, *See also* LinqDataSource data control
 - ListView, 313
 - paging, enabling, 308
 - placement of, 302
 - Refresh Schema option, 312
 - Repeater, 313
 - sorting, enabling, 308
 - SqlDataSource, 314, *See also* SqlDataSource data control
 - templates, customizing with, 313
 - data format strings
 - {0:00.00}, 307
 - {0:c}, 307
 - {0:d}, 307
 - {0:D}, 307
 - {0:n}, 307
 - {0:t}, 307
 - data source parameters
 - Control, 303
 - Cookie, 303
 - Form, 303
 - None, 303
 - Profile, 303
 - QueryString, 303
 - Route, 303
 - Session, 303
 - data types
 - alternate names, 154
 - bool, 93, 160, *See also* bool data type
 - DateTime, 162, *See also* DateTime data type
 - decimal, 158, *See also* decimal data type
 - double, 158, *See also* double data type
 - float, 158, 165, *See also* float data type
 - int, 156, *See also* int data type
 - long, 156, *See also* long data type
 - null, 101, *See also* null
 - object, 174, *See also* object data type
 - short, 156, *See also* short data type
 - string, 93, 152, 154, *See also* string data type
 - var, 175, 282, *See also* var data type
 - Database Explorer window, 277
 - databases
 - access rights, 292
 - ASPNETDB.MDF, 268
 - connecting to, 277
 - connection string, 314
 - controls, naming of to match columns, 290
 - Database Explorer window, 277
 - DBA, 276, 279
 - dbml file, 278, *See also* LINQ
 - deletion of records, recommendation against, 292
 - DetailsView control, inserting records with, 313
 - mdf file, 268, 277
 - MySQL, 276
 - Oracle, 276
 - permissions, 292
 - primary key, 291
 - projects, adding to, 276
 - publishing, omission of when, 345

- query. *See* LINQ
- records, deleting, 292
- records, inserting, 291
- records, updating, 289, *See also* LINQ
- relationships, 279, 283
- remote, connecting to, 277
- retrieving data from. *See* LINQ
- SQL language, 276
- SQL Server, 276
- stored procedures, 279, 284, *See also* stored procedures
- System.Data.SqlClient namespace, 281
- tables, explanation of, 277
- types of, 276
- DataBind method, 316
- DataList data control, 313
- DataSource property, 316
- DateTime data type
 - AddDays method, 162
 - calendars, changing, 162
 - explanation of, 162
 - Month property, 163
 - Now property, 162
 - null default value, 162
 - ToLongDateString method, 163
 - ToShortDateString method, 163
 - ToShortTimeString method, 163
- DBA, 276, 279
- dbml file, 278
- debug mode
 - running a project in, 46
- debug mode, running a project in, 38
- debugging
 - breakpoints, 96, 98, 102, *See also* breakpoints
 - continuing execution, 97
 - Internet Explorer, using for, 39
 - Locals window, 98
 - properties, inspecting while paused, 96
 - saving on debug, 41
 - Start Page, changing, 38
 - starting, 38
 - starting and stopping, 46
 - Step Into, 97
 - Step Out, 97
 - Step Over, 97, 99
 - stopping, 38
 - toolbar, 97
 - View in Browser, 46, 96
 - Watch window, 99, 102
 - watches, 99, *See also* watches
- debugging toolbar, 97
- decimal data type
 - Decimal alternate name, 158
 - explanation of, 158
 - m postfix, 159, *See also* postfixes
 - nullable, use of, 336
- Default.aspx, 36
- Delete command field, 311
- DeleteOnSubmit LINQ method, 293
- deleting
 - controls, 73, 127
 - event handlers, 129
 - files, from a solution, 37
 - records, from a database, 292
- Design view, 40
- designer.cs file, 92
- DetailsView data control
 - Edit Fields dialog, 313
 - editing features, enabling, 312
 - explanation of, 312
 - inserting features, enabling, 313
 - paging, enabling, 312
 - Refresh Schema option, 312
- Dictionary collection, 235
- Dispose method, 200
- Disposed event handler, 129
- division, 169
- DOCTYPE HTML tag, 66
- double data type
 - accuracy, 158
 - Double alternate name, 158
 - explanation of, 158
- double equals operator, 210
- downloading
 - sample files, 13, **29**
 - Visual Studio, 24
- DropDownList control
 - adding to a page, 53
 - AppendDataBoundItems property, 305
 - AutoPostBack property, 107, 137
 - DataSourceID property, 305
 - DataTextField property, 305
 - DataValueField property, 305
 - items, adding to, 53, 136
 - postback, disabled by default, 106
 - SelectedIndex property, 137, 157
 - SelectedIndexChanged event handler, 137
 - SelectedItem property, 216
 - SelectedValue property, 157
- dynamic arrays, 232

E

Edit Columns dialog, 310
 Edit Fields dialog, 313
 elements. *See* controls
 else if statement
 conditions, multiple, use of, 216
 else statement. *See* else statement
 explanation of, 212
 if statement. *See* if statement
 logical operators, use with, 214, *See also* logical operators
 else statement
 else if statement. *See* else if statement
 explanation of, 212
 if statement. *See* if statement
 em measurement unit, 81
 email settings, 251
 Enabled property, 142
 EnableTheming property, 142
 EnableViewState property, 109, 142, 306
 equality operator, 210
 ErrorMessage property, 141
 errors. *See also* exceptions
 Application_Error event handler, 327
 ASP.NET Configuration utility, setting default page with, 327
 catch statement, retrieval of details with, 221
 customErrors setting, changing display of with, 116
 Global.asax, handling with, 327
 handling, 220
 logging, 328
 try and catch, handling with, 220
 warnings, 152
 when building, 39
 when running, 100, *See also* exceptions
 event handlers
 Click, 94
 controls, adding to, 94
 DataBinding, 129
 deleting, 129
 Disposed, 129
 explanation of, 92, 93, **94**
 Load, 129
 order of execution, 94, 105
 Page_Init, 95
 Page_Load, 92, 93
 Page_PreRender, 95
 Page_Unload, 95
 SelectedIndexChanged, 137
 SelectionChanged, 95

Source view, inability to add event handlers in, 94

Exception object
 catch statement, retrieval with, 221
 database, logging to, 328
 explanation of, 100
 InnerException property, 101
 Message property, 101
 Source property, 101
 StackTrace property, 101
 exceptions. *See also* Exception object
 details of, catch statement, retrieval with, 221
 explanation of, 100
 handling, 220
 troubleshooting tips, 100
 try and catch, handling with, 220
 excluding files from a solution, 37
 expanding and collapsing code regions, 44
 Expert Settings mode, 28

F

f postfix, 158, *See also* postfixes
 false. *See* bool data type
 favicon, 68
 file extensions
 asax, 326
 aspx, 31, **36**
 config, 116
 cs, 36
 csproj, 33
 css, 69
 dbml, 278
 displaying, 30
 explanation of, 31
 hidden, showing, 30
 htm, 31, **84**
 html, 31, **84**
 ico, 68
 jpg, 31
 js, 69
 mdf, 268, 277
 png, 31, 127
 sln, 32
 suo, 33
 txt, 31
 file paths, 75
 File System publish method, 344, *See also* publishing
 files
 hidden, showing, 30
 solution, adding to, 37

- solution, deleting from, 37
 - solution, excluding from, 37
- FindControl method, 103, 112
- Firefox. *See* web browser
- First LINQ method, 280
- FirstOrDefault LINQ method, 287
- float data type
 - accuracy issues, 158
 - Convert.ToSingle method, 165
 - explanation of, 158
 - f postfix, 158
 - Single alternate name, 158
 - variable, creating, 158
- floating point numbers. *See* float data type
- Floor method, 170
- folders
 - hidden, showing, 30
 - securing, 262
 - solution, adding to, 37
- Font properties, 142
- font-size CSS property, 76
- for iteration statement, 238
- foreach iteration statement
 - break keyword, escaping from using, 240
 - collections, iteration through using, 236
 - explanation of, 236
 - iteration variable, 237
 - iteration variable, inability to modify, 238
 - var data type, recommendation against using, 237
- ForeColor property, 142
- form tag, 67
- format strings, 166, 193, *See also* data format strings
- formatting, automatic, 42
- formatting, with Auto Format, 52
- forms, 67, 84
- Forms authentication, 252
- FormView data control, 313
- FPSE publish method, 344
- FTP publish method, 344
- functions
 - C#. *See* methods
 - C#, not present in, 194
 - JavaScript, 82
 - Visual Basic, 194
- G**
- garbage collection, 200
- get method, 218
- GetType method, 174
- Global.asax file
 - Application_AuthenticateRequest event handler, 326
 - Application_End event handler, 326
 - Application_Error event handler, 326
 - Application_Start event handler, 326
 - errors, handling with, 327
 - errors, logging with, 328
 - explanation of, 326
 - Session_End event handler, 326
 - Session_Start event handler, 326
- globalization tag, 162
- greater than or equal to, logical operator, 214
- greater than, logical operator, 214
- green underlining, 152
- GridView data control
 - adding to a page, 306
 - AllowPaging property, 308
 - AllowSorting property, 308
 - ButtonField, 331, *See also* ButtonField
 - C#, binding data to with, 317
 - CommandName, 331
 - data format strings, 307, *See also* data format strings
 - data source, setting, 307
 - DataKeys property, 332
 - Delete command field, 311
 - Edit Columns dialog, 310
 - Edit, Update, Cancel command field, 310
 - editing features, enabling, 310
 - EnableViewState property, 306
 - explanation of, 306
 - formatting, 307
 - ImageField, 330
 - LINQ, binding data to with, 317
 - PageIndexChanging event handler, 317
 - paging, enabling, 308
 - primary key, retrieving from, 332
 - products page, use on, 330
 - search page, use on, 334
 - Select command field, 311
 - SelectedIndexChanged event handler, 311
 - SelectedRow property, 311
 - sorting, enabling, 308
 - sorting, limitations of, 309
 - SqlDataSource control, features not supported by, 315
 - ViewState, recommended disabling of, 306
- GroupName property, 134

H

- head HTML tag, 66
- heading cell, 71
- heading HTML tags, 63
- height CSS property, 81
- Height property, 143
- help
 - MSDN forums, 54
 - MSDN library, 54
 - online sources, 55
 - troubleshooting tips, 100
- Hexadecimal colors, 46
- hidden file extensions, showing, 30
- hidden files, showing, 30
- hidden folders, showing, 30
- htm file, 31, **84**
- HTML
 - controls, conversion into, 51, **93**
 - delivery by web server, 85
 - explanation of, 40
 - formatting text with, 62, 64
 - forms, 67, 84
 - headings, 63
 - hyperlinks, 74, *See also* hyperlinks
 - images, 75
 - IntelliSense menu, use with, 150
 - navigating with the tag navigator, 72
 - page structure, 66
 - self-closing tags, 65
 - tables, 70, *See also* tables
 - versions, 66
- HTML controls, 51
- html file, 31, **84**
- HTML tags
 - <!DOCTYPE>, 66
 - <%>, 66
 - <a>, 74
 - , 62
 - <body>, 66
 -
, 64
 - <div>, 80
 - <form>, 67
 - <h1>, 63
 - <head>, 66
 - <i>, 62
 - , 75
 - <link>, **68**, 76
 - <meta>, 68
 - <p>, 64
 - <Page>, 66
 - <script>, 69, 82
 - , 80
 - <style>, 71
 - <table>, 70, *See also* tables
 - <td>, 70
 - <th>, 71
 - <title>, 68
 - <tr>, 70
 - nested, 63
 - opening and closing, 62
 - self-closing, 65
- hyperlinks
 - creating, 74, 110
 - opening in a new window, 74
 - Response.Redirect method, similarity to, 110
 - Target property, 74

I

- ico file, 68
- icons
 - IntelliSense menu, explanation of, 151
- ID property, 46, 92, 124
- if statement
 - && logical operator, use of, 214
 - || logical operator, use of, 214
 - == operator, use of, 210
 - assignment operator, use of, 210
 - boolean values, use of, 210
 - bracketing, use of, 216
 - conditions, multiple, use of, 216
 - creating, 210
 - curly brackets, use of, 210, *See also* curly brackets
 - else if statement. *See* else if statement
 - else statement. *See* else statement
 - explanation of, 210
 - logical operators, use of, 214, *See also* logical operators
 - multiple lines, splitting into, 216
 - shortening, 211
 - single line, 210
- IIS. *See* web server
- ImageButton control, 127
- ImageField, 330
- images
 - alternate text, 127
 - displaying on a page, 75
- img HTML tag, 75
- indexing, zero-based, 137, 235
- IndexOf method, 155
- Init event handler, 129
- Input (Checkbox) control, 84

- Input (Reset) control, 51
 - Input (Submit) control, 84
 - Input (Text) control, 84
 - InsertAllOnSubmit LINQ method, 293
 - InsertOnSubmit LINQ method, 291
 - installing Visual Studio, 24
 - instances of classes
 - creating, **184**, 191, 197
 - creating, 182
 - disposing of, 200, 201
 - explanation of, 182
 - garbage collection, automatic disposal by, 200
 - methods, calling from, 191
 - static, unable to create if, 198
 - using statement, automatic disposal by, 201
 - instances of classes, creating, 162
 - int data type
 - Convert.ToInt32 method, 164
 - decimal places, lack of, 156
 - explanation of, 156
 - Int32 alternate name, 156
 - nullable variable, creating, 173
 - Parse method, 165
 - value, adding to, 156
 - variable, creating, 156
 - Int16 data type. *See* short data type
 - Int32 data type. *See* int data type
 - Int64 data type. *See* long data type
 - IntelliSense menu, 62, 125
 - arguments, viewing with, 193
 - CSS, use with, 150
 - explanation of, 150
 - HTML, use with, 150
 - icons, explanation of, 151
 - JavaScript, use with, 150
 - overloads, viewing with, 193
 - Internet Explorer. *See also* web browser
 - debugging, using for, 39
 - View Source option, **93**
 - Windows authentication, optimization for, 253
 - intranet site, 252
 - IP address, 105
 - IsNullOrEmpty method, 172
 - IsPostBack property, 106
 - IsValid property, 139
 - italic HTML tag, 62
 - iteration statements
 - break keyword, escaping from using, 240
 - break keyword, recommendation against using
 - in, 240
 - for, 238
 - foreach, 236
 - return keyword, recommendation against
 - using in, 240
 - while, 238
 - iteration variable, 237, 238, *See also* foreach statement
- ## J
- JavaScript
 - advantages and disadvantages of, 83, **106**
 - AJAX, 106
 - alert function, 69, **82**
 - browser compatibility, 82
 - client-side code, status as, 83, 106
 - explanation of, 40
 - IntelliSense menu, use with, 150
 - JQuery, use with, 82
 - js file, 69
 - limitations of, 106
 - linking to a page, 69
 - onclick property, assigning to, 82
 - page element, changing color of, 83
 - placing in script tags, 82
 - postback, use for, 107
 - validation controls, use by, 139
 - jpg file, 31
 - JQuery, 82
 - js file, 69
- ## K
- keyed values, 109
- ## L
- Label control
 - adding to a page, 92
 - Load event handler, 129
 - placeholder, 128
 - properties, 128
 - Text property, 92
 - lambda LINQ syntax, 281
 - language integrated query. *See* LINQ
 - Length property, 154
 - less than or equal to, logical operator, 214
 - less than, logical operator, 214
 - link HTML tag, 68, 76
 - LinkButton control
 - explanation of, 126
 - HTML, use in properties, 126
 - links. *See* hyperlinks
 - LINQ

- advantages of, 278
- aliases, 281
- Average method, 284
- bracketing of conditions, 283
- classes, adding, 278
- classes, creating instances of, 280
- classes, disposing of, 280
- classes, rebuilding, 279
- classes, stored procedures, adding to, 279
- classes, tables, adding to, 278
- collections, performance issues with, 295
- collections, use with, 294
- controls. *See* data controls
- controls, binding data to with, 316
- Count method, 284
- criteria, 283
- criteria, bracketing of, 283
- database record, single, retrieving, 280
- database records, disconnected, 288
- database records, inserting, 291, 340
- database records, multiple, retrieving, 282
- database records, updating, 289
- databases records, deleting, 293
- DataBind method, 316
- DataSource property, 316
- dbml file, 278
- DeleteOnSubmit method, 293
- efficient use of, 317
- errors when record does not exist, 286
- errors, logging with, 328
- explanation of, 278
- First method, 280
- FirstOrDefault method, 287
- InsertAllOnSubmit method, 293
- InsertOnSubmit method, 291
- lambda syntax, 281
- LINQ to SQL Classes, adding, 278
- Object Relational Designer window, 278
- OrderBy method, 284
- query syntax, 281
- relationships, 279
- results, sorting, 284
- search page, creating with, 336
- single database record, retrieving, 281
- Single method, 281, 286
- SingleOrDefault method, 287
- sorting, 284
- SQL, generation of, 278
- stored procedures, adding, 279
- stored procedures, calling, 284
- stored procedures, comparison with, 285
- SubmitChanges method, 289, 291, 293
- Sum method, 284
- System.Linq namespace, 186
- tables, adding to classes, 279
- Take method, 284
- top X results, retrieving, 284
- using statement, recommendation of, 280
- var data type, recommendation of, 282
- Where method, 282
- LINQ to SQL Classes, 278, *See also* LINQ
- LinqDataSource control
 - deleting, enabling, 311
 - updating, enabling, 311
- LinqDataSource data control
 - adding to a page, 302
 - configuring, 302
 - controls, attaching to, 304, 305
 - deleting, enabling, 311
 - EnableDelete property, 311
 - EnableInsert property, 313
 - EnableUpdate property, 311
 - explanation of, 302
 - inserting, enabling, 313
 - Source parameters, 303, *See also* data source parameters
 - SqlDataSource, preference over, 314
 - updating, enabling, 311
- Linux, 85
- List collection
 - Add method, 234
 - Contains method, 235
 - creating, 234
 - Remove method, 235
 - shopping cart, usage as, 333
 - values, adding to, 234
 - values, removing from, 235
- list-based controls
 - data sources, attaching to, 305
 - explanation of, 136
- ListView data control, 313
- Literal control
 - adding to a page, 128
 - Label control, differences to, 128
- Load event handler, 129
- locale, 162
- Locals window, 98
- Log method, 170
- LoggedIn event handler, 254
- logical conditions. *See* if statements
- logical operators
 - !, 161, **215**

- &, 214
 - &&, 214
 - ||, 214
 - <, 214
 - <=, 214
 - ==, 210
 - >, 214
 - >=, 214
 - AND, 214
 - bracketing of, 216
 - equality, 210
 - explanation of, 214
 - greater than, 214
 - greater than or equal to, 214
 - less than, 214
 - less than or equal to, 214
 - NOT, 161, **215**
 - OR, 214
 - Login control
 - adding to a page, 254
 - customizing, 256
 - explanation of, 254
 - LoggedIn event handler, 254
 - redirection after logging in, 255
 - ReturnUrl query string value, 255
 - templates, customizing with, 256
 - login controls
 - ChangePassword, 260
 - CreateUserWizard, 258
 - Login, 254, *See also* Login control
 - LoginName, 260
 - LoginStatus, 261, *See also* LoginStatus login control
 - login system. *See* authentication
 - LoginName login control, 260
 - LoginStatus login control
 - explanation of, 261
 - Web.config settings related to, 261
 - loginUrl setting, 261
 - long data type
 - explanation of, 156
 - Int64 alternate name, 156
 - loops. *See* iteration statements
- M**
- master pages
 - best practice of use, 324
 - ContentPlaceHolder control, 324
 - explanation of, 324
 - Math library
 - Ceiling method, 170
 - Cos method, 170
 - explanation of, 170
 - Floor method, 170
 - Log method, 170
 - Max method, 171
 - Min method, 171
 - Pow method, 170
 - Round method, 170, 196
 - Sin method, 170
 - Sqrt method, 170
 - static class, status as, 198
 - Tan method, 170
 - mathematical operations
 - addition, 156, 168, 190
 - bracketing of, 169
 - cosine, 170
 - division, 169
 - floating point values, accuracy with, 159
 - logarithm, 170
 - modulo, 169
 - multiplication, 159, 169
 - power, 170
 - rounding, 170, 196
 - sine, 170
 - square root, 170
 - subtraction, 169, 191
 - tangent, 170
 - mathematical operators
 - , 191
 - , 169
 - , 169
 - %, 169
 - *, 159, 169
 - *=, 169
 - /, 169
 - /=, 169
 - ^, 170
 - +, 156, 168, 190
 - ++, 169, 238
 - +=, 169
 - =, 169
 - Max method, 171
 - MaxLength property, 131
 - mdf file, 268, 277
 - meta HTML tag, 68
 - methods
 - arguments, by reference, 239
 - arguments, by value, 239
 - arguments, calling with, 193
 - arguments, creating to require, 192
 - arrays, returning, 233

calling, 191
 classes, adding to, 183, **190**
 constructor, 202
 explanation of, 92, 151
 functions, difference between, 194
 get, 218
 icon for, 151
 overloading of, 193
 private. *See* protection levels
 protection levels, 196, *See also* protection levels
 public. *See* protection levels
 return keyword, escaping from with, 241
 return keyword, returning values with, 194
 return values, adding to, 194
 return values, retrieving from, 195
 set, 218
 static, 198
 summaries, adding to, 224
 void return value, 190

Min method, 171
 modulo, 169
 Month property, 163
 Mosaic browser, 74, *See also* web browser
 MSDN, 54, *See also* help
 multidimensional arrays, 233
 MultiLine text box, 130
 multiplication, 159, 169
 MVC, 32
 MySQL database, 276

N

namespaces
 creating, 188
 explanation of, 151
 hierarchy, 189
 icon for, 151
 modifying, 188
 project, default, 188
 references, readability issues caused by, 187
 System, 186
 System.Collections.Generic, 186, 235
 System.Data.SqlClient, 281
 System.Linq, 186
 System.Text, 187
 System.Web, 186
 System.Web.Security.Membership, 254, 259
 using lines, referencing with, 186

naming conventions, 124
 nested tags, 63
 NOT logical operator, 161, **215**
 Now property, 162

null
 default values, 155
 explanation of, 101, **172**
 nullable variables. *See* nullable variables
 SingleOrDefault LINQ method, returned by, 287

nullable variables
 explanation of, 160

nullable variables
 explanation of, 157

nullable variables
 practical use of, 336

nullable variables, explanation of, **173**

O

object data type
 best practice of use, 175
 cast, converting using, 174
 explanation of, 174
 GetType method, 174

Object Relational Designer window, 278

objects. *See* instances of classes

offline option, 251

onclick property, 82

opening
 databases, 277
 projects, 33, 35, 36
 Web Site projects, 35

operating system
 version, checking, 16
 version, checking, **26**
 Windows XP and Vista, use of, 16

operators
 logical. *See* logical operators
 mathematical. *See* mathematical operators

OR logical operator, 214

Oracle database, 276

order of event handler execution, 94

OrderBy LINQ method, 284

overloading methods, 193

P

page lifecycle, 105

Page object
 explanation of, 102
 FindControl method, 103, 112
 IsPostBack property, 106
 IsValid property, 139
 Page.Controls property, 103

- Page.Request property, 104, *See also* Request object
- Page.Response property, 104, 111, *See also* Response object
- Page.User.Identity.IsAuthenticated property, 266
- Page.User.Identity.Name property, 266
- Page.User.IsInRole method, 267
- PreviousPage property, 112
- properties, shortcuts to, 104
- Page_Init event handler, 95
- Page_Load event handler, 92, 93
- Page_PreRender event handler, 95
- Page_Render event, 105
- Page_Unload event handler, 95
- pages
 - adding to a project, 37
 - aspx, 36
 - delivery by web server, 85
 - error, default, 327
 - favicons, adding to, 68
 - form tag, requirement of, 67
 - layouts using tables or CSS, 76
 - login, default, 261
 - master, 324
 - namespaces, default, 186
 - navigating with the tag navigator, 72
 - Page HTML tag, 66
 - Page object. *See* Page object
 - postback, 106
 - previous page, reference to, 112
 - pure HTML, 84
 - query string, sending data between using, 113, *See also* query string values
 - rendering, 105
 - request from browser, 104, *See also* Request object
 - Response.Redirect method, moving between with, 110
 - securing, 263
 - Server.Transfer method, moving between with, 111
 - Session, sending data between using, 114, *See also* session
 - structure, understanding, 66
 - System.Web namespace, 186
 - this object, 98
 - Web form using Master Page, 325
- paragraph HTML tag, 64
- Parse conversion method, 165
- password text box, 130
- PasswordRecovery login control, 260
- paths
 - explanation of, 75
 - tilde, use in, 127
- pausing code. *See* breakpoints
- payment page, 340
- payment providers, 340
- PayPal, 340
- percentage measurements, 81
- PHP, 85
- png file, 31, 127
- postback
 - advantages and disadvantages of, 106
 - explanation of, 106
 - IsPostBack property, checking with, 106
 - JavaScript, use for, 107
- postfixes
 - ?, 173, *See also* nullable variables
 - f, 158, *See also* float data type
 - m, 159, *See also* decimal data type
- Pow method, 170
- PreRender event handler, 129
- PreviousPage object
 - advantages and disadvantages of, 112
 - explanation of, 112
- primary key, 291
- private protection level, 182, **196**
- products page, 330
- projects
 - App_Data folder, 276
 - ASP.NET Folders, 276
 - ASP.NET MVC, 32
 - ASP.NET Web Application, 32, *See also* ASP.NET Web Application project
 - ASP.NET Web Site, 34
 - creating, 32
 - databases, adding to, 276
 - Global.asax file, 326, *See also* Global.asax file
 - LINQ to SQL Classes, adding, 278
 - namespaces, default, 188
 - opening, 33, 35, 36
 - pages, adding to, 37
 - SQL Server Database, adding to, 276
- properties
 - AutoPostBack, 107
 - BackColor, 142
 - C#, changing with, 92
 - CausesValidation, 142
 - changing, 46, 48
 - classes, adding to, 182
 - common to all controls, 142

- CSSClass, 143
 - Design view, changing in, 46
 - Enabled, 142
 - EnableTheming, 142
 - EnableViewState, 109, 142, 306
 - explanation of, 46
 - Font, 93, 142
 - ForeColor, 142
 - get method, 218
 - Height, 143
 - icon for, 151
 - ID, 46, 92, 124
 - Locals window, viewing using, 98
 - private. *See* protection levels
 - Properties Window, changing with, 46
 - protection levels, 182, 196, *See also* protection levels
 - public. *See* protection levels
 - set method, 218
 - Source view, changing in, 48
 - static, 198
 - Text, 92
 - ToolTip, 142
 - variables, creation from, 153
 - variables, setting values from, 152
 - Visible, 142
 - Watch window, viewing using, 99
 - Width, 143
 - Properties window
 - alphabetical and categories views, 46
 - controls, selecting with, 46
 - event handlers, adding with, 94
 - properties, Design view, changing with in, 46
 - properties, Source view, changing with in, 48
 - Source view, inability to add event handlers in, 94
 - protected protection level, 196
 - protection levels
 - explanation of, 196
 - private, 182, **196**
 - protected, 196
 - public, 182, **196**
 - providers
 - changing, 250, 268
 - configuring, 251
 - explanation of, 250
 - security wizard, changing with, 268
 - pt measurement unit, 81
 - public protection level, 182, **196**
 - publishing
 - database files, omission of, 345
 - File System, 344
 - FPSE, 344
 - FTP, 344
 - publish profiles, 344
 - Web Deploy, 344
 - Web.config files, potential omission of, 262, 345
 - px measurement unit, 81
- ## Q
- query LINQ syntax, 281
 - query string values
 - advantages and disadvantages of, 113
 - explanation of, 113
 - ReturnUrl, 255
 - query, database. *See* LINQ
 - QueryString object, 113
 - QuickTasks menu
 - CreateUserWizard controls, customizing with, 259
 - data source, setting with, 304
 - DropDownList controls, adding items to with, 53, 136
 - explanation of, 52
 - formatting with, 52
 - Login controls, customizing with, 256
 - quotations
 - Antoine de Saint-Exupéry, 123
 - Benjamin Disraeli, 275
 - Charles Babbage, 301
 - Charles Darwin, 231
 - Confucius, 21, 91
 - Delmore Schwartz, 247
 - Dr. Frank Crane, 17
 - Galileo Galilei, 61
 - Haile Selassie, 323
 - Jean Piaget, 209
 - Nathanael West, 149
 - Thomas Carlyle, 23
 - William Shakespeare, 181
 - Winston Churchill, 20
- ## R
- RadioButton control
 - adding to a page, 134
 - AutoPostBack property, 135
 - Checked property, 135
 - CheckedChanged event handler, 135
 - explanation of, 134
 - GroupName property, 134
 - RadioButtonList control, **135**, 136

- RangeValidator control
 - ErrorMessage property, 141
 - explanation of, 140
 - Type property, 140
- red underlining, 39, 152
- references. *See* using lines
- Refresh Schema option, 312
- regional calendars, 162
- regular expressions, 141
- RegularExpressionValidator control, 141
- relationships
 - explanation of, 279
 - LINQ, working with, 283
- RemoteOnly error mode, 117
- rendering, 105
- Repeater data control, 313
- Replace method, 155
- Request object
 - explanation of, 104
 - Url property, 105
 - UserAgent property, 104
 - UserHostAddress property, 105
- RequiredFieldValidator control, 138
 - ControlToValidate property, 138
 - ErrorMessage property, 141
- Reset Window Layout, 28
- Response object
 - Redirect method. *See also* Response.Redirect method
- Response object
 - End method, 105
 - explanation of, 104
 - Redirect method, 110, 113
 - Write method, 105
- Response.Redirect method
 - advantages and disadvantages of, 110
 - explanation of, 110
 - new window, unable to create, 110
 - query string, use with, 113
- return keyword, 241
 - methods, escaping from with, 241
 - returning values with, 194
- return values
 - methods, adding to, 194
 - reason for, 195
 - return keyword, returning values with, 194
 - void, 190
- ReturnUrl query string value, 255
- roles. *See also* authentication
 - adding, 264
 - enabling, 264
- Page.User.IsInRole method, 267
 - security wizard, adding with, 268
 - security wizard, enabling with, 268
 - users, assigning to, 264
- Round method, 170, 196
- rounding, 170, 196
- runat="server", 67
- running a project in debug mode, 38, 46
- runtime errors. *See* exceptions

S

- sample files
 - downloading, 13, 29
 - passwords, 248
 - recommended location, 29
- saving, 41
- screen resolution, 81
- script HTML tag, 69, 82
- search engine, 63, 69
- search page
 - creating, 334
 - functionality, adding to, 336
- security. *See* authentication
- security question, 259
- security wizard, 268
 - access rules, adding with, 269
 - ASPNETDB.MDF file, automatic creation of, 268
 - authentication types, changing with, 268
 - provider, changing with, 268
 - roles, adding with, 268
 - roles, enabling with, 268
 - users, adding with, 269
- Select command field, 311
- SelectedDate property, 95
- SelectedIndex property, 137, 157
- SelectedIndexChanged event handler, 137, 311
- SelectedValue property, 157
- SelectionChanged event handler, 95
- self-closing tags, 65
- server. *See* web server
- Server object
 - explanation of, 111
 - Transfer method, 111
 - TransferRequest method, 111
- Server.Transfer method
 - advantages and disadvantages of, 111
 - explanation of, 111
 - Page.PreviousPage object, population of, 112
 - previous page, reference to, 112
- Server.TransferRequest method, 111

- server-side code, 83, 106
- session
 - explanation of, 114
 - Session_End event handler, 326
 - Session_Start event handler, 326
 - shopping cart, storing in, 333
 - timeout, **114**, 117
- Session object, 114
- session values
 - best practice of use, 114
 - explanation of, 114
- Session_End event handler, 326
- Session_Start event handler, 326
- sessionState setting, 117
- set method, 218
- shopping cart
 - creating, 332
 - items, adding to, 332
 - items, removing from, 338
 - session, storage in, 333, *See also* session
- short data type
 - explanation of, 156
 - Int16 alternate name, 156
- showing
 - hidden file extensions, 30
 - hidden files, 30
 - hidden folders, 30
- Sin method, 170
- single equals operator, 210
- Single LINQ method, **281**, 286
- SingleOrDefault LINQ method, 287
- sln file, 33
- smart method. *See* The Smart Method
- Solution Explorer. *See also* solutions
 - managing a project with, 36
- solutions
 - database files, potential omission of, 345
 - files, adding to, 37
 - files, deleting from, 37
 - files, excluding from, 37
 - folders, adding to, 37
 - opening, 33
 - solution file, 33
 - Web.config files, potential omission of, 262
- SortedList collection, 235
- Source view, **40**, 48
- Split method, 155
- Split view, 40
- SQL Server database, 276
- SQL Server Express, 276
- SqlDataSource data control
 - configuring, 314
 - connection string, 314
 - explanation of, 314
 - LinqDataSource control, preference of, 314
 - SQL code, use with, 314
- Sqrt method, 170
- stack trace, 101
- standards, web, 66
- Start Page, 38
- starting debugging, **38**, 46
- starting Visual Studio, 24
- statements
 - catch, 220
 - else. *See* else statement
 - else if. *See* else if statement
 - foreach. *See* foreach statement
 - if. *See* if statement
 - try, 220
 - using, 201
- static methods
 - best practice of use, 199
 - creating, 198
 - explanation of, 198
- static properties
 - explanation of, 198
 - recommendation against, 198
- Step Into, 97
- Step Out, 97
- Step Over, **97**, 99
- stored procedures
 - explanation of, 279
 - LINQ classes, adding to, 279
 - LINQ, calling with, 284
 - LINQ, comparison with, 285
 - return values, 285
- string data type
 - array of, creating, 232
 - concatenation, 154
 - Contains method, 155
 - Convert.ToString method, 164
 - empty string, 155
 - explanation of, 152
 - IndexOf method, 155
 - IsNullOrEmpty method, 172
 - Length property, 154
 - null default value, 155
 - properties, use in, 93
 - Replace method, 155
 - Split method, 155
 - String alternate name, 154
 - ToLower method, 155

ToUpper method, 155
 variable, creating, 152
 StringBuilder class, 186
 style HTML tag, 71
 styles. *See* CSS
 SubmitChanges LINQ method, 289, 291, 293
 subroutines. *See* methods
 subtraction, 169, 191
 Sum LINQ method, 284
 summaries
 .NET framework, existing in, 224
 automatic documentation, use by, 225
 best practice of use, 225
 creation of, 224
 description tag, 225
 explanation of, 224
 param tag, 225
 returns tag, 225
 suo file, 33
 System namespace, 186
 System.Collections.Generic namespace, 186, 235
 System.Data.SqlClient namespace, 281
 System.Linq namespace, 186
 System.Text namespace, 187
 System.Web namespace, 186
 System.Web.Security.Membership namespace, 259
 System.Web.Security.Membership.CreateUser method, 259
 System.Web.Security.Membership.ValidateUser method, 254

T

table HTML tag, 70
 tables
 creating, 70
 heading cells, 71
 merging cells of, 71
 navigating with the tag navigator, 72
 td HTML tag, 70
 th HTML tag, 71
 tr HTML tag, 70
 tag navigator, 72
 tags. *See* HTML tags
 Take LINQ method, 284
 Take Offline option, 251
 Tan method, 170
 td HTML tag, 70
 TemplateField, 311
 templates
 controls, splitting into, 256

data controls, customizing with, 313
 explanation of, 256
 Text property, 92
 TextBox control
 adding to a page, 50
 AutoPostBack property, 131
 Columns property, 130
 MaxLength property, 131
 MultiLine setting, 130
 Password setting, 130
 properties, 130
 TextChanged event handler, 131
 TextMode property, 130
 TextMode property, 130
 th HTML tag, 71
 the smart method
 avoiding repetition, 18
 informal summary, 19
 learning by participation, 21
 putting the smart method to work, 16
 session objectives, 19
 sessions and lessons, 16
 two facing pages rule, 20
 this object, 98
 tilde operator, 75, 127
 title HTML tag, 68
 ToLongDateString method, 163
 ToLower method, 155
 Toolbox, 50
 Tooltip property, 142
 ToShortDateString method, 163
 ToShortTimeString method, 163
 ToString conversion method
 explanation of, 166
 format strings, 166, 193
 overloads of, 193
 ToUpper method, 155
 tr HTML tag, 70
 troubleshooting tips, 100
 true. *See* bool data type
 try statement, 220
 TryParse method, 165
 txt file, 31
 types of value. *See* data types

U

underlining
 green, 152
 red, 39, 152
 units of measurement
 percentage (%), 81

pixels (px), 81
 relative (em and pt), 81
 Unix. *See* web server
 Unload event handler, 129
 users
 ASP.NET Configuration utility, managing
 with, 250
 CreateUserWizard control, creating with, 258
 creating, **249**, 258
 editing, 250
 Page.User.Identity.IsAuthenticated property,
 266
 Page.User.Identity.Name property, 266
 Page.User.IsInRole method, 267
 permissions, assigning to, 262
 roles, assigning to, 264
 security wizard, adding with, 269
 System.Web.Security.Membership.CreateUser
 method, creating with, 259
 viewing, 250
 using lines, 125, **186**, *See also* namespaces
 using statement
 disposal, automatic when using, 201
 explanation of, 201

V

validation controls
 C#, confirming using, 139
 CompareValidator, 141
 ControlToValidate property, 138
 CustomValidator, 141
 ErrorMessage property, 141
 explanation of, 138
 if statement, confirming using, 211, *See also* if
 statement
 Javascript, use by, 139
 Page.IsValid property, 139
 RangeValidator, 140
 RegularExpressionValidator, 141
 RequiredFieldValidator, 138
 ValidationGroup property, 138
 ValidationSummary, 140
 ValidationGroup property, 138
 ValidationSummary control, 140
 value types. *See* data types
 var data type
 best practice of use, 175
 explanation of, 175
 iteration variables, recommendation against
 using in, 237
 LINQ, use with, 282
 variable types. *See* data types
 variables
 alternate names, 154, 156, 158
 cast method, converting using, 167
 Convert method, converting using, 164
 creating, 152
 date and time. *See* DateTime data type
 decimal. *See* decimal data type
 default values, 155, 157
 double. *See* double data type
 explanation of, 152
 floating point. *See* float data type
 int. *See* int data type
 iteration, **237**, 238
 nullable, 157, 160, **173**
 Parse method, converting using, 165
 string. *See* string data type
 ToString method, converting using, 166
 TryParse method, converting using, 165
 types. *See* data types
 version, checking, 26
 View in Browser, 46, 96
 View Source option in Internet Explorer, **93**
 views
 Design, 40
 Source, 40
 Split, 40
 ViewState
 ControlState, differences to, 108
 disabling, 109
 EnableViewState property, 109
 explanation of, 108
 get and set methods, use with, 219
 GridView control, recommended disabling of
 when using, 306
 keys, 109
 problems caused by, 109, **306**
 values, manually storing, 109
 virtual web server, 38
 Visible property, 142
 Visual Basic
 C#, preference of, 33
 functions, 194
 Visual Studio
 automatic documentation tool, 225
 downloading, 24
 Expert Settings, enabling, 28
 installation problems, 25
 installing, 24
 SQL Server Express, automatic installation of,
 276

- starting, 24
- version, checking, 26
- Web.config file, automatic modification of, 116
- window layout, resetting, 28

Visual Studio Express, 26

Visual Web Developer, 26

void return value, 190

W

W3C, 66

warnings, 152

Watch window, 99, 102

watches

- adding, 99, 102
- explanation of, 99
- removing, 102

Web Application. *See* ASP.NET Web Application

web browser

- changing the browser used by Visual Studio, 39
- history of, 74
- HTML code of pages, viewing with, 93
- JavaScript, compatibility with, 82
- languages understood by, 40
- market share, 39
- Mosaic, 74
- request for pages, 104, *See also* Request object
- Server.Transfer, behaviour when using, 111
- UserAgent property, determining with, 104
- Windows authentication, problems with, 253

Web Deploy publish method, 344

Web form using Master Page, 325

web forms. *See* pages

web server

- difference between Unix and Windows, 85
- FTP, publishing to with, 345
- HTML, delivery of, 85
- locale, use of, 162
- pages, delivery of, 85
- published site, use of, 345
- response to browser, 104, *See also* Response object
- Web.config, potential modification of, 117
- web services, 106

Web Site. *See* ASP.NET Web Site

web standards, 66

Web User Control, 324

Web.config file

- AspNetSqlMembershipProvider tag, 251
- authentication modes, changing in, 253
- authentication tag, 253
- customErrors setting, 116
- explanation of, 116
- Forms authentication, changing to in, 253
- forms tag, 261
- globalization tag, changing locale using, 162
- locale, changing in, 162
- loginUrl setting, 261
- publishing, omission of when, 345
- publishing, potential omission of when, 262
- security question requirement, setting in, 259
- sessionState setting, 117
- Windows authentication, changing to in, 253

Where LINQ method, 282

while iteration statement, 238

width CSS property, 81

Width property, 143

width, in columns, 130

Windows

- checking version of, 26
- setting up for development, 30

Windows authentication, 252

Windows XP and Vista

- small differences in screen grabs when using, 16

X

XML

- explanation of, 116
- summaries, 224, *See also* summaries

Z

zero-based indexing, 137, 235